








1	2	3	4	5	6	7	8			
REACH & RoHS COMPLIANT							REV. 版本	ECN NO. 变更说明	DATE 日期	
								A	New Design	24.12.25




NOTE:
1. CAGE: COPPER ALLOY, THICKNESS: 0.25mm;
EMI SPRING FINGERS: BERYLLIUM COPPER.
THICKNESS: 0.06mm REF;
2. FINISH:
CAGE: 30~80u" NICKEL OVERALL;
EMI SPRING FINGERS: 1.27~2.032um;
NICKEL OVERALL;
3. PACKAGING:
PRODUCT PACKAGED IN TRAYS AND CARTONS.



DETAIL A
SCALE 5:1







DETAIL B
SCALE 1:1

A	 苏州沃虎电子科技有限公司 Su Zhou Voohu Electronic Tech.Co.Ltd		TITLE: QSFP28 1X4 CAGE	SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: Geoffrey.Song
			PART NO.: WHSFP36714W021	SCALE 1:1	REV A0	x±0.35	x°±3.0°	CHECKED BY:
	TEL: +86 400 1048 018 WEB: WWW.WOHU-TEK.COM		REMARK:	SHEET 1/3		.x±0.30	.x°±2.0°	DESIGNED BY:
						.xx±0.25	.xx°±1.5°	Sunny.Xu
	1	2	3	4	5	6	7	8

REACH & RoHS
COMPLIANT

REV.
版本
ECN NO.
变更说明
DATE
日期

HATCHED AREA DENOTES
COMPONENT AND TRACE
KEEP-OUT
(EXCEPT CHASSIS GROUND)



NOTES:

1. SEE zQSFP+ MSF SPECIFICATION FOR BEZEL LOCATION TOLERANCE
2. DATUM A IS TIP SURFACE OF HOST BOARD PEA MSA
3. FINISHED HOLE SIZE (AFTER PLATING)
4. DATUM K IS HOST BOARD THRE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
5. DATUM L IS HOST BOARD THRE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
6. DATUM T IS HARS STOP ON CAGE PER MSA

PCB LAYOUT FOR SINGLE SIDED APPLICATION

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:
QSFP28 1X4 CAGE

PART NO.:
WHSFP36714W021

REMARK:

SIZE
A4

SCALE
1:1

SHEET
2/3

UNITS
MM[INCH]

REV
A0



GENERAL TOLERANCES
UNLESS SPECIFIED

x±0.35
.x±0.30
.xx±0.25
.xxx±0.10

x°±3.0°
.x°±2.0°
.xx°±1.5°
.xxx°±1.0°



APPROVED BY:
Geoffrey.Song

CHECKED BY:
Elvis.Song

DESIGNED BY:
Sunny.Xu

TEL: +86 400 1048 018

WEB: WWW.WOHU-TEK.COM



NOTES:

1. SEE ZQSF+ MSF SPECIFICATION FOR BEZEL LOCATION TOLERANCE
2. DATUM A IS TIP SURFACE OF HOST BOARD PEA MSA
3. FINISHED HOLE SIZE (AFTER PLATING)
4. DATUM K IS HOST BOARD THRE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
5. DATUM L IS HOST BOARD THRE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
6. DATUM T IS HARS STOP ON CAGE PER MSA

VCOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:
QSFP28 1X4 CAGE

PART NO.:
WHSFP36714W021


REMARK:

SIZE
A4

SCALE
1:1

SHEET
3/3

UNITS
MM[INCH]

REV
A0

GENERAL TOLERANCES
UNLESS SPECIFIED

	x±0.35
	.x±0.30
	.xx±0.25
	.xxx±0.10

APPROVED BY:
Geoffrey.Song

CHECKED BY:	Elvis Song
-------------	------------

DESIGNED BY:	Sunny Xu
--------------	----------